# Settings

Wallet & Apple Pay ›

Go to Settings on your iPhone

🔑 Passwords & Accounts ›

✉️ Mail ›

👥 Contacts ›

📅 Calendar ›

📒 Notes ›

📋 Reminders ›

🎙 Voice Memos ›

📞 Phone ›

💬 Messages ›

Choose the account to verify settings.  This should contain the word boroughs in most instances.

🔑  Website & App Passwo... 0  ›

⌨️  AutoFill Passwords        ⬜️

ACCOUNTS

iCloud                         ›
Contacts, Calendars, Stocks

125Webdesign                   ›
Mail

Boroughs                       ›
Mail

Support-Files                  ›
Mail

Mike Vandling                  ›
Mail

palmtop@vandling.net           ›
Mail

‹ Accounts        **Boroughs**

Choose the account under IMAP.

IMAP

Account  webmaster@boroug...  ›

📧  Mail                          ⬤

📒  Notes                         ◯

Delete Account

Cancel **Account** Done

Description Boroughs

Go down to Outgoing Mail Server and Choose SMTP.

INCOMING MAIL SERVER

Host Name mail.boroughs.org

User Name webmaster@boroughs.org

Password ●●●●●●●●●●

OUTGOING MAIL SERVER

SMTP mail.boroughs.org >

Advanced >

Now choose the Primary Server.

PRIMARY SERVER

| mail.boroughs.org | On › |
|---|---|

OTHER SMTP SERVERS

| mail.vandling.net | Off › |
|---|---|
| mail.vandling.net | Off › |
| 12.158.191.230 | Off › |
| mail.vandling.net | Off › |
| mail.vandling.net | Off › |
| mail.vandling.net | Off › |
| mail.vandling.net | Off › |

Make sure that use SSL is on and that Server Port is 587.

**Server**

**OUTGOING MAIL SERVER**

Host Name    mail.boroughs.org

User Name    webmaster@boroughs.org

Password    ●●●●●●●●●

Use SSL

Authentication     Password >

Server Port   587

Description  Boroughs

Now to back to Outgoing Mail Server and choose Advanced.

INCOMING MAIL SERVER

Host Name  mail.boroughs.org

User Name  webmaster@boroughs.org

Password  ●●●●●●●●●●

OUTGOING MAIL SERVER

SMTP          mail.boroughs.org  >

Advanced          >

DELETED MESSAGES

Remove      After one week **›**

Under incoming settings, make sure SSL is on and that the Server Port is 993.  This assumes you are using IMAP.

INCOMING SETTINGS

Use SSL

Authentication      Password **›**

IMAP Path Prefix /

Server Port  993

S/MIME

S/MIME